


IL Monostomum Mutabile Zeder PDF - herunterladen, lesen sie



HERUNTERLADEN

LESEN

ENGLISH VERSION

DOWNLOAD

READ

Beschreibung

Kossack, 1911. 187. (14) *Cy clocoelum* (C.) mutabile. (Zeder, 1800). 189. Plate 18. C. (C.) mutabile. Legend. 191. (15) *Cy clocoelum* (*Hyptiasmus*) elongatup ... iL The conditions for the establishment of chronic, infections.; .., 590-.). ' The effect of 'Multiple Infections. '. 591. Table C 10. The effect of multiple ' infections.

Indian J. Helminth. (N.S.) 2011, 30, pp 13-19 ON WARDIANUM WITENBERGI N. SP. (DIGENEA: CYCLOCOELIDAE) FROM NUMENIUS ARQUATA LINN. (SCOLOPACIDAE), FROM THE LUCKNOW, UTTAR PRADESH, INDIA A.M. SAXENA*, SAMTA JOHRI² AND RAHUL GUPTA¹ *1DEPARTMENT OF ZOOLOGY, Excerpt. Bella e importante e la descrizione che ci da. P. I. Van Beneden nella „memoire sur les vers intestinaux (supplement aux Comptes Rendus des seances de l'academie des sciences, T. II, 1858, pag. 69 — 77, tav. XII) di un monostomo da lui creduto il M mutabile ma invece ben diverso da quello descritto dallo Zeder. With Monostomum mutabile, assume a loop-like arrangement, - their motions and verrucosum, the oviduct arising in the poste- instantly ceasing. xior extremity, ... &c. Taf. IL. With Filaria rigida, * [116, note 8.] For some further details on animal nouv. edit. Zoophytes, P1. XXXV. fig. 3b., the genitalia of the Acanthocephali, see. F Agustin Jimenez-Ruiz. Southern Illinois University Carbondale, agustinjz@siu.edu. Follow this and additional works at: . coelum mutabile (Zeder, 1800), reported from Brazil by Fernandes (1976); Cyclocoelum phasidi Stunkard, .. II Monostomum mutabile Zeder e le sue forme a affini. Bollettino della Societa Adriatic di. Brooks, O'Grady & Glen (1985b) placed the seemingly aberrant and highly derived family Heronimidae at the base of their cladogram of the Digenea. In the absence of arguments for the composition and polarity of the putative homologous series on which their cladogram is based, it was found necessary to consider in. Zeder. (1800), apparently, was the first to record the hatching and escape of ciliated larvae from trematode eggs; Hitzsch (181 07) observed encapsu- lation of cercariae in . vae from eggs of Monostomum flavum; and von Siebold (1835) observed .. Wallace, H. E. Life history of Triganodi§j;omum mutabile (Cort): Trema-. Distoma subclavatum Zeder, 1800. Amphistoma subclavatum Rudolphi, 1802. Hirudo tuba Braun, 1805. Diplodiscus diesingi Filippi, 1837. Diplocotyle mutabile Diesing, 1850. Opisthodiscus subclavatus Pearse, 1832. Diplodiscus subclavatus Diesing, 1836. COROLOGIA Y ECOLOGIA. Es este un Trematodo propio del. Das Buch Witsch von Frank Möller - Buch aus der Kategorie Übrige Sachbücher & Sonstiges günstig und portofrei bestellen im Online Shop von Ex Libris. orientalis Mamaev, I. L.; Parukhin, A. M. ; & Baeva, O. M. , 1963a, 90, 94-95, 112, fig. 1. 1963: MONORCHEIDES soldatovi. .. [Distoma cygnoides of Pagenstecher, nec Zeder, renamed]. pagenstecheri .. 1959: CERCARIA. vanbenedeni Witenberg, G. G., 1923b, 85, 95, 99 (=Monostomum mutabile Zed, of van. Beneden. 260 IL WttuD« ud WimikniiUieiten 253 A. Plathelminthes (PlattwQrmer) und die durch sie ver- ursachten Krankheiten 254 Trematoden 255 1. Übersicht über die .. Eileiter und Kloake. Ente. Monostomum mutabile Zed. ... Pferd. Anoplocephala pUcata Zeder. perfololata Goeze. mamillana Mehlis. Coenurus cerebrialis. Hirn. Una innocente lumachina che mangia il mangiabile, trova, una notte, per caso, della succulenta caccia d'uccello. Se la slurpa in un boccone e se ne va per la sua strada. Ma comincia a sentirsi strana. Per la prima volta nella sua vita, si sente attratta dalla luce del sole, che millenni di evoluzione gli ha insegnato ad evitare. Selfcoelum lamothei n. sp. (Digenea: Cyclocoelidae: Cyclocoelinae) from the air sacs of the long-billed curlew, Numenius americanus (Scolopacidae), from the Galveston, Texas area, USA. Selfcoelum lamothei, n. sp. (Digenea: Cyclocoelidae: Cyclocoelinae) de los sacos aéreos del playero de pico largo, Numenius. Published in: Stossich, Michele. 1903. Il Monostomum mutabile Zeder e le sue forme affini. Bollettino della Società Adriatica di Scienze Naturali in Trieste 21: 1-40. Synonym of:

Prohyptiasmus robustus (Stossich, 1902) Stossich, 1902. Taxonomy: AnimaliaPlatyhelminthesTrematodaPlagiorchiidaCyclocoelidaeProhyptiasmus. 22 Nov 2011 . described as *Monostoma mutabile* Zeder, 1800 from the abdominal cavities of the common moorhen, *Gallinula Chloropus* Linnaeus, 1758, and the Eurasian coot, *Fulica atra* Linnaeus, 1758, from Germany by Zeder (1800). In Egypt, Gohar (1934) listed *Cyclocoelum problematicum* Stossich, 1902 from.

mmq 46- A. D. MELVIN, CHImRF OF BUREAU. INDEX-CATALOGUE)ICAL AND VETERINARY ZOOLOGY. PART 29. i .[Authors: Stenroos to Szymanski. BY CH. WARDELL STILES, Ph. D., Comsuling Zoologist, -Bureau of Animal Industry; Professor of Zoology, ." "U. S. Public Health and Marine-Hospital Service, AND

A dorso-ventri.il system of large muscle-fibres is developed to a very marked extent (figs. ... trunk's in *Monostomum mutabile*, and shows it in his figure (2, fig. 3), but obviously overlooked the ventral net- .. Stossich, M.—"II *Monostomum mutabile* Zeder e le sue forme affini," 'Boll. Soc. Adriat.,' xxi, 1902. Summary by Braun.

il li. I. cJ>C-, J.. t 1 ' /ti;". BERENICE MARIA FERNANDES DE LiffiA. CYCLOCOELIDAE DO BRASIL. (TREffiA TODA). Dissertação apresentada à Coord nação do Curso . Brasil; *Cyclocoelum(Cyclocoelum)mutabile* (Zeder, 1800) Stossich,. 1902 .. 4 6) STOSSICH, m. , 1902, 11 *monostomum mutabile* Zeder e le sue.

12. MONOSTOME CHANGEANT. MONOST. MUTABILE. — ZEDER, Nachtrag., p. 154, et *Naturg.*, p. 189, n° 6, pl. 3, fig. 1. *Monostoma mutabile* , RUD., *Entoz.*, t. II, 1, p. 333, n° 9, et *Syn.*, p. 16. *Monostomum microstomum*, CREPLIN, *Nov. obs. de Ent.*, p. 49, pl. 1, fig. 10-11, et MEHLIs dans l'Isis , 183 t. *Monostomum mutabile*.

9781427768339 1427768331 *Modern Real Estate Practice in Illinois*, Fillmore W Galaty, Wellington J Allaway, Robert C Kyle, . 9781427810373 1427810370 *Fate/ .. 9781334667367 1334667365 Il Monostomum Mutabile Zeder - E Le Sue Forme Affini (Classic Reprint)*, Michele Stossich 9788416344017 8416344019.

4 lip 2017 . Or, dès que l'on me permet de faire entrer en jeu des éruptions vol- caniques répétées et à Tinstar de la dernière du Krakatoa, je suis bien près d'avoir gagné la partie , car alors il ne me faut plus que quelques jolis .. *Monostomum mutabile* Zeder. Nella *Gallinula chlorojnis* (Ogulin 28 settembre 1884). 11.

1883.-Nematoden, Trematoden und Acanthocephalen, gesam- melt von Prof. Fedtschenko in Turkestan. *Arch. Naturg.*, 49:274-313. Nicoll, Wm. 1914.-The Trematode parasites of North Queensland. II. Para- sites of Birds. *Parasit.*, 7:105-126. Stossich, M. 1902.-Il *Monostomum mutabile* Zeder e le sue forme affini. *Boll. soc.*

only a body length and width were provided, but Stossich noted that “in Berlin, the jar bearing the label 2494 *Monostomum mutabile* Zeder Edit , contained 4 specimens collected by Olfersin from the thorax and abdomen of *Scolopax flaviceps*. Edit (*Ypanema* in Brazil)”. Kossack (1911) redescribed this species based on.

Four specimens of the genus *Cyclocoelum* Brandes were found in the airsac of a solitary sandpiper, *Tringa solitaria solitaria*, by Walter Morrison at Lemont, at the foot of Mt. Nittany, near State College in 1939. They were given to Assistant. Professor Merrill Wood, an ornithologist, who presented them to the author for.

Caballero, C.E. & Flores-Barroeta, L. (1952) *Presencia de Cyclocoelum mutabile* (Zeder, 1800) Stossich, 1902 en aves acuáticas de México. *Revista Iberica .. Stunkard, H.W. (1964) On the specific identity of the digenetic trematode Monostomum molle* Leidy, 1856 and *Heronimus chelydrae* MacCallum, 1902. *Journal of.*

Il *Monostomum Mutabile* Zeder: E Le Sue Forme Affini (Classic Reprint) (German Ed. Brand New. C \$40.07; Buy It Now; +C \$48.93 shipping. 3d 3h left (Saturday, 19:21); From Australia.

IL Monostomum Mutabile Zeder: E Le Sue Forme Affini (Classic Reprint) (German Edition) [Michele Stossich] on Amazon.com. *FREE* shipping on qualifying offers. Excerpt from IL Monostomum Mutabile Zeder: E Le Sue Forme Affini Bella e importante e la descrizione che ci da. P. I. Van Beneden nella memoire sur les vers.

Articoli : Il Monostomum mutabile Zeder e le sue forme affini / Michele Stossich Trieste : Societa adriatica di scienze naturali, 1903 p. 1-40, 9 c. di tav. 1 - Per I 2 21 [CMSN14500].

The following synonymies are proposed: Cyclocoelum mutabile (Zeder, 1800)—Syn. C. microstomum (Creplin, 1929); Cyclocoelum leidyi . Arnsdorff, A. (1908) Monostomum vicarium n. sp. Centerblatt für Backteriologie, Parasitenkunde .. Illinois Biological Monographs, 7, 162–165. Host-Parasite Database (2015) Natural.

17 Mar 2006 . 2429) that were labeled Monostomum mutabile Zeder that were collected from the abdominal and thoracic cavities of ... Parasitology, 3, 24–27. Harrah, E.C. (1922) North American monostomes primarily from freshwater hosts. Illinois Biological Monographs, 7, 225–324. Johnston, S.J. (1917) On the.

Zusammenfassung. Philophthalmus lucipetus wurde in Europa einer Neuuntersuchung in bezug auf typische Fundstätten unterworfen. Nachdem vor nahezu 200 Jahren ihre erste Beschreibung vorliegt, ist diese Art noch heutzutage im Allgemeinen unbekannt. Die in den Augenhöhlen von Vögeln und Säugetieren.

Prime Students get £10 off on £40 spend See Details · Product Details. IL Monostomum Mutabile Zeder: E Le Sue Forme Affini (Classic Reprint). 17 Dec 2016. by Michele Stossich. Paperback · £11.59Prime. Eligible for FREE UK Delivery. Not in stock; order now and we'll deliver when available. More buying choices.

C. mutabile. Первый представитель семейства Cyclocoelidae Kossack, 1911 был описан Цедером (Zeder, 1800, 1803), установившим род Monostomum с видом. M. mutabile . крыт второй представитель — Monostomum microstomum *(= Cyclocoelum .. Illinois Biological Monographs, 7 (3) : 1—48. J o y e u x C.

خلاصه مقاله: Brooks, O'Grady & Glen (1985b) placed the seemingly aberrant and highly derived family Heronimidae at the base of their cladogram of the Digenea. In the absence of arguments for the composition and polarity of the putative homologous series on which their cladogram is based, it was found necessary to.

Cyclocoelum brasilianum , Stossich, M., 1903. Stossich, M., 1903, Il Monostomum mutabile Zeder e le sue forme affini, Bolletino della Società Adriatica di Scienze Naturali in Trieste 21, pp. 1-40: 16.

Excerpt from IL Monostomum Mutabile Zeder: E Le Sue Forme Affini Bella e importante e la descrizione che ci da. P. I. Van Beneden nella memoire sur les vers intestinaux (supplement aux Comptes Rendus des seances de l'academie des sciences, T. II, 1858, pag. 69 - 77, tav. XII) di un monostomo da lui . Download.

Excerpt from IL Monostomum Mutabile Zeder: E Le Sue Forme Affini Bella e importante e la descrizione che ci da. P. I. Van Beneden nella memoire sur les vers intestinaux (supplement aux Comptes Rendus des seances de l'academie des sciences, T. II, 1858, pag. 69 - 77, tav. XII) di un monostomo da . Download Read.

12. MONOSTOME CHANGEANT. MONOST. MUTABILE. — ZEDER, Nachtrag., p. 154, et Naturg., p. 189, n° 6, pl. 3, fig. 1. Monostoma mutabile , RUD., Entoz., t. II, I, p. 333, n° 9, et Syn., p. 16. Monostomum microstomum, CREPLIN, Nov. obs. de Ent., p. 49, pl. 1, fig. 10-11, et MEHLIS dans l'Isis, 1831. Monostomum mutabile.

Apharyngostrigea cornu (Zeder, 1800) Ciurea, 1927. Namensgebend für Apharyngostrigea (A.) cornu sind der fehlende Pharynx und die abgewinkelte Körperform. Der Vorderkörper ist von ei-, birnen- bis kelchförmiger Gestalt, 0,6- 1,98 mm lang und 0,65-1,38 mm breit. Der

Mundsaugnapf liegt submarginal und erreicht.

Zeder - Denn Tote.. Film obcojęzyczny>Movie. 0x0092144e00000000. Sklep: Gigant.pl. Il Monostomum Mutabile Zeder - 2854745493. 74,99 zł. Il Monostomum Mutabile Zeder. Książki Obcojęzyczne>Nieprzypisane. 0x003701f300000000. Sklep: Gigant.pl. Zeder - 2856593101. 579,99 zł.

Köp böcker av Michele Stossich: Il Monostomum Mutabile Zeder;

Starek piracki Xing Long Da Toys - zabawka do kąpiel dla rocznego dziecka Il monostomum mutabile zeder Toftaskarð Rosario + Vampire. Zabawki dla dwulatka Po obejrzeniu meczu sunderland z darnes s.c. derna kupiłem, w noc wyprzedazową szalik komin tuba miękki dla kobiet damski kolory xxx. Zabawki lalki dla 14.

12 Sep 2015 . Il Monostomum mutabile Zeder e le sue forme affini.. Zoologisches Zentralblatt 9:406–407.. Google Scholar. Travassos, L. P. 1928.. Informações sobre alguns Heterophyidae dos animais domésticos do Brasil.. Anais da Faculdade de Medicina da Universidade de São Paulo 3:1–4.. Google Scholar. Yorke.

1. Apr. 2009 . As a subject of investigation the Trematode fauna of British Birds does not appear to have aroused at any time much enthusiasm amongst British zoologists and as a result we owe the greater part of our knowledge of the subject to continental workers. The fact that our bird fauna is practically identical with.

2 Jan 2015 . saugethiere, 2 TMn. Berlin 1831. H. Haan ., (W. de) Berigt omtrent de Callianira triploptera, Lam. {in de Bijdr. tot de Nat. TFetemch. IL 1. bl. 150.) 1827. .. (Benn. en v. Oliv.)

2. MUTABILE, zeder. (diesinq, / . c, I, p. 323, n°. 13.) Monostoma depressum ohlongum, antrosum in collum conicum cum attenuatum .,

La ZOOLOGIA, mostrandoci il vero valore dei tessuti e della cellula (che può anche trovarsi come un organo nismo liberamente vivente), la connessione tra gli .. Monostomum Zeder.

Ventosa intorno alla bocca, faringe potente. Orifici genitali poco lontani dall'estremità anteriore. M. mutabile Zeder. Nella cavità viscerale.

23 Jun 2017 . During the study of the helminth parasites of birds from the Lucknow, specimens of an undescribed species of Wardianum (Family Cyclocoelidae Kossack, 1911) were collected from Eurasian Curlew, Numenius arquata Linn. The Genus Wardianum Witenberg, 1923 including the trematodes of air sacs of.

num (Rudolphi, 1809) ; il fit remarquer que cette ventouse, malgré sa petite taille . pourvus d'un acetabulum ; il ne semble donc plus que l'on doive — .. 187,. Cavité abdomin.

Cyclocœlum mutabile <4. G. H. Zeder, 1800. H. Zeder, 1800). 189, pl. Ill, fig. 1. Heilsberg (Prusse) Monostomum mutabile, Zed. C. T. y. Siebold.

MUTABILE. — Zeder, Nachtrag., p. 154, et Naturg., p. 189, n° 6, pi. 3, flg. 1. Monostoma mutabile , Rcd., Enloz., t. II, i,p. 333, n" », et Syn., p. 18. Monostomum . un peu rétréci en avant , où il « se termine par un orifice buccal très-petit , entouré d'un rebord « saillant;— intestin blanchâtre, à deux branches, s'écartant à peu.

D'après cela, il paraît que les branches du canal intestinal de notre animal sont analogues à celles que Creplin a observées chez le Monostomum microstomum (ou d'après Mehlis, Monostomum mutabile, Zeder) et que Mehlis a rencontré dans le Monostomum flavum, qu'on trouve dans plusieurs espèces de canards (1).

Rangoni e Affini Usato - Caddy passo lungo 4x4 trasporto cani usato presso Rangoni & Affini S.p.a., Rangoni & Affini - Nuovo Crafter Volkswagen Veicoli Commerciali, AUTO AZIENDALI MATERA USATO GARANTITO BARI AUDI BMW VOLKSWAGEN FIAT NISSAN FORD PEUGEOT MERCEDES, Rangoni & Affini.

IL Monostomum Mutabile Zeder. Excerpt from IL Monostomum Mutabile Zeder: E Le Sue Forme Affini Bella e importante e la descrizione che ci da. P. I. Van Beneden nella "memoire

sur les vers intestinaux (supplement aux Comptes Rendu. IL Monostomum Mutabile Zeder. Obchod ověřený zákazník. Hodnocení: 4.4.

11 Jun 2017 . Von Siebold (1835) the first to give a clear account of the anatomy of the Monostomidae in his description of. Cyclocoelum (Monostomum) mutabile (Zeder) speaks of the mouth as a transverse oral opening leading to a funnel formed canal which narrows gradually posteriorly and terminates in the "so-called".

. anatomy of Monostoma mutabile (Zeder) along with the early stages of life history through development of egg. Thereafter, Diesing (1850), Van. Beneden (1861) Brandes (1892) and Monticelli (1892) also contributed to the knowledge of this group by describing the genera Cyclocoelium, Notocotylus and. Monostomum.

In 1803, Zeder produced a new book entitled Anleitung zur Naturgeschichte der Eingeweidewürmer 44. .. These he recognized as being identical with certain cercaria-sacs that he had seen in snails. he had occasion to examine large numbers of the fluke Monostomum mutabile which lived in the orbital cavities of geese.

Excerpt from IL Monostomum Mutabile Zeder: E Le Sue Forme Affini Bella e importante e la descrizione che ci da. P. I. Van Beneden nella memoire sur les vers intestinaux (supplement aux Comptes Rendus des seances de l'academie des sciences, T. II, 1858, pag. 69 - 77, tav. XII) di un monostomo da lui creduto il M.

tion made by the author during September-November, 1962, in the western part of Rajasthan, in the districts of Barmer, Bikaner, Jaisalmer and Jodhpur. In addition, a small collection made by Dr. B. Bif>was. of the Zoological Survey of India, from the Nagaur District during. December, 1956, has also been studied . For an.

Excerpt from IL Monostomum Mutabile Zeder: E Le Sue Forme Affini Bella e importante e la descrizione che ci da. P. I. Van Beneden nella memoire sur les vers intestinaux (supplement aux Comptes Rendus des seances de l'academie des sciences, T. II, 1858, pag. 69 - 77, tav. XII) di un monostomo da lui creduto il M.

Illinois biological monographs, vol. VII, no. 3 · North American Monostomes Primarily from Fresh Water Hosts, Ezra Clarence Harrah · Volume 208 of Zoological Laboratory Urbana, Ill: Contributions from the. Author, Ezra Clarence Harrah. Publisher, University of Illinois, 1922. Original from, the University of California.

D'après cela, il paraît que les branches du canal intestinal de notre animal sont analogues à celles que Creplin a observées chez le Monostomum microstomum (ou d'après Mehlis, Monostomum mutabile, Zeder) et que Mehlis a rencontré dans le Monostomum flavum, qu'on trouve dans plusieurs espèces de canards (1).

Monostomum Zeder. Ventosa alrededor de la boca; faringe vigorosa; orificios sexuales poco distantes del extremo anterior. M. mutabile, que vive en la cavidad .. Hertwig: Die Chaetognaten, una monografia, Jena, 1880; B. Grassi: I Chetognati,. Leipzig, 1883. orden primero. nematodes. I23. iL. R. 1\ tad en el moscardón;

Il presente fascicolo raccoglie l'opera di cinque ricercatori a cui spetta la responsabilità delle rispettive sezioni, sia per le liste di specie che per i testi introduttivi e le note: P. ORECCHIA & L. ... Monostomum filum Rudolphi, 1819. Nella lista che segue tra il ... 002.0 *mutabile (Zeder, 1800) Stossich, 1902 U Ca N S. U Ra N.

